PATENT Docket No.: 021318-001210US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner:

Art Unit:

Confirmation No.: 9090

Daniel Swerdlow

2615

ALLOWANCE OF CLAIM 26

COMMUNICATION CONFIRMING

In re application of:

Marwan A. Jabri et al.

Application No.: 10/693,253

Filed: October 23, 2003

For METHOD AND APPARATUS FOR DTMF DETECTION AND VOICE MIXING IN THE CELP PARAMETER DOMAIN

Customer No.: 20350

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir.

Applicants note that Claim 26 was not listed on the Notice of Allowability but was mentioned by the Examiner in the "Reasons for Allowance" under item No. 5 which states that "Claims 25 and 26 are allowable due to dependence from Claim 23." This Communication is submitted to confirm that Claim 26 has been allowed.

Respectfully submitted,


Daniel Mao Reg. No. 51,995

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, Eighth Floor San Francisco, California 94111-3834

Tel: (415) 576-0200 Fax: (415) 576-0300

DM:ejt

60873684 v1



Atty Docket No. 021318-001210US

Group Art Unit 2615

# OFFICIAL COMMUNICATION FOR THE PERSONAL ATTENTION OF **ISSUE FEE BRANCH**

# CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the following documents in re Application of Marwan A. Jabri et al., Application No. 10/693,253, filed October 23, 2003 for METHOD AND APPARATUS FOR DTMF DETECTION AND VOICE MIXING IN THE CELP PARAMETER DOMAIN are being facsimile transmitted to the Patent and Trademark Office on the date shown below.

#### Documents Attached

- I. Transmittal Form (1 p)
- 2. Part B - Fee Transmittal (1 p)
- 3. Copy Part B - Fee Transmittal (1 p)
- Communication Confirming Allowance of Claim 26 (1 p) 4.
- 5. Communication - Comments on Statement for Reasons for Allowance (7 pp)
- This Certification of Facsimile Transmission (1 p) 6.

Number of pages being transmitted, including this page: 12

Dated: September 20, 2006


Eleanor J. Taylor

PLEASE CONFIRM RECEIPT OF THIS PAPER BY RETURN FACSIMILE AT (415) 576-0300

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, Eighth Floor San Francisco, CA 94111-3834

Telephone: 650-326-2400 Fax: 650-326-2422 .

P E>							PTO/SB/21 (07-06)	
9 2			Application Number	1	0/693,253			
TRANSMITTAL			Filing Date	C	October 23, 2003			
o 12006 a	1			First Named Inventor Jabri, Marwan Anwar			r	
<i>E</i> /				2	2615			
to be used for	(to be used for all correspondence after initial filing)			0	Daniel Swerdlow			
to be used for Total Number of	Total Number of Pages in This Submission			oer 0	21318-0012			
ENCLOSURES (Check all that apply)								
Fee Trans	Fee Transmittel Form		Drawing(s)		After Allowance Communication to TC			
F-	ee Attached		Licensing-related Paper	rs	<u> </u> of	Appeals	mmunication to Board and Interferences	
Amendme	Amendment/Reply		Petition	Appeal Communication to TC (Appeal Notice, Erler, Reply Erler)				
A	fter Final		Petition to Convert to a Provisional Application		Pro	prietary	Information	
	ffidevits/declaration(s)		Power of Attorney, Revi Change of Corresponde		St	atus Lett	er	
Extension of Time Request			Terminal Discialmer			osure(s) (please identify		
Express A	Express Abandonment Request		Request for Refund	lest for Refund		•Certification of Facsimile Transmission		
Informatio	Information Disdosure Statement		CD, Number of CD(s)	Part 8 - Fee Transmittal     Copy Part 8 - Fee Transmittal				
					•Commun		Confirming Allowance of	
ĺ					Claim 26	ication .	- Comments on Statement	
		Landscape Table	for Reasons for Allowance					
Certified Copy of Priority Document(s)			The Commissioner is authorized to charge any additional fees to Deposit Account 20-1430.					
Reply to Missing Parts/ Incomplete								
Application Reply to Missing Parts								
	der 37 CFR 1.52 or 1.53							
	SIGNAT	TURE (	OF APPLICANT, A	TTORNEY,	OR AGEN	r	· · · · · · · · · · · · · · · · · · ·	
Firm Name			d Crew LLP					
Signature	Signature Daniel Was							
Printed name	Daniel Mao		·	· · · · · · ·				
Date	Date September 20, 2006			Reg. No.	51,995			
				· · · · · · · · · · · · · · · · · · ·				
CERTIFICATE OF TRANSMISSION/MAILING								
I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office, Fax No. 1-571-273-2885 on September 20, 2006.								
Ol-	<del></del>		,	·				
Signature	Elean	ee (	J. Jayhr	<u>~~</u>				
Typed or printed r	name   Eleanor J. Tavi	lor	(			Date	Sentember 20, 2008	



Docket No.: 021318-001210US

TOWNSEND and TOWNSEND and CREW LLP

By: Eleanne J. Sayler

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Marwan A. Jabri et al.

Application No.: 10/693,253

Filed: October 23, 2003

For: METHOD AND APPARATUS FOR DTMF DETECTION AND VOICE

MIXING IN THE CELP PARAMETER DOMAIN

Customer No.: 20350

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Confirmation No.: 9090

Examiner:

Daniel Swerdlow

Art Unit:

2615

COMMUNICATION - COMMENTS ON STATEMENT FOR REASONS FOR

ALLOWANCE

In response to the Examiner's Statement of Reasons for Allowance, Applicants note that claim 2 recites:

- 2. An apparatus for feature processing of telecommunications signals, the apparatus being adapted to operate in a CELP domain without decoding to a speech signal domain, the apparatus comprising:
- a dual-tone modulation frequency (DTMF) signal detection module, the dual-tone modulation frequency (DTMF) signal detection module being adapted to determine one or more DTMF tones based upon at least one or more input CELP parameters, and the DTMF signal detection module being adapted to output the one or more DTMF signals if determined;

Marwan A. Jabri et al. Application No.: 10/693,253

Page 2

**PATENT** 

a multi-input mixing module coupled to the DTMF signal detection module, the multiinput mixing module being adapted to process CELP parameters from more than one CELPbased codecs, representing respective more than one voice signals, into a single set of CELP parameters;

wherein the dual-tone modulation frequency (DTMF) signal detection module comprises:

a DTMF feature computation unit capable of receiving the one or more CELP parameters and external commands and computing one or more DTMF features,

one or more DTMF feature pattern tables having one or more specific feature data corresponding to the one or more DTMF signals.

a DTMF feature comparison unit, the DTMF feature comparison unit being adapted to process the one or more DTMF features derived from the DTMF feature computation unit with the one or more specific feature data in DTMF feature pattern tables to identify one or more DTMF specific signals and to classify the one or more DTMF specific signals,

a DTMF feature buffer capable of storing the one or more DTMF feature parameters and the one or more DTMF classification data of one or more previous subframes or frames;

a DTMF decision unit capable of determining the one or more DTMF signals from DTMF classification data of a current and one or more previous sub-frames or frames according to one or more DTMF specifications and sending out the DTMF determined signals.

Applicants also note that claim 7 states:

7. An apparatus for feature processing of telecommunications signals, the apparatus being adapted to operate in a CELP domain without decoding to a speech signal domain, the apparatus comprising:

a dual-tone modulation frequency (DTMF) signal detection module, the dual-tone modulation frequency (DTMF) signal detection module being adapted to determine one or more

Marwan A. Jabri et al. Application No.: 10/693,253

**PATENT** 

Page 3

DTMF tones based upon at least one or more input CELP parameters, and the DTMF signal detection module being adapted to output the one or more DTMF signals if determined;

a multi-input mixing module coupled to the DTMF signal detection module, the multi-input mixing module being adapted to process CELP parameters from more than one CELP-based codecs, representing respective more than one voice signals, into a single set of CELP parameters;

wherein the multi-input mixing module comprises:

a feature detection unit capable of receiving one or more sets of CELP parameters and external commands and detecting a plurality of speech features;

a sorting unit capable of processing the detected features of the more than one set of CELP parameters and ranking an order of importance for each set of CELP parameters based upon a predetermined criteria;

a mixing decision unit capable of determining a processing strategy, selecting some or all sets of CELP parameters for processing, and controlling the processing of the more than one set of CELP parameters;

a mixing computation unit capable of processing more than one set of CELP parameters.

Applicants also note that claim 13 states:

13. An apparatus for feature processing of telecommunications signals, the apparatus being adapted to operate in a CELP domain without decoding to a speech signal domain, the apparatus comprising:

a dual-tone modulation frequency (DTMF) signal detection module, the dual-tone modulation frequency (DTMF) signal detection module being adapted to determine one or more DTMF tones based upon at least one or more input CELP parameters, and the DTMF signal detection module being adapted to output the one or more DTMF signals if determined;

a multi-input mixing module coupled to the DTMF signal detection module, the multiinput mixing module being adapted to process CELP parameters from more than one CELP- Marwan A. Jabri et al. Application No.: 10/693,253 Page 4

**PATENT** 

based codecs, representing respective more than one voice signals, into a single set of CELP parameters;

wherein the CELP parameters represent silence descriptor frames.

Applicants also note that claim 14 states:

14. An apparatus for feature processing of telecommunications signals, the apparatus being adapted to operate in a CELP domain without decoding to a speech signal domain, the apparatus comprising:

a dual-tone modulation frequency (DTMF) signal detection module, the dual-tone modulation frequency (DTMF) signal detection module being adapted to determine one or more DTMF tones based upon at least one or more input CELP parameters, and the DTMF signal detection module being adapted to output the one or more DTMF signals if determined;

a multi-input mixing module coupled to the DTMF signal detection module, the multi-input mixing module being adapted to process CELP parameters from more than one CELP-based codecs, representing respective more than one voice signals, into a single set of CELP parameters;

wherein the multi-input mixing module has a dynamic topology and is capable of configuring different topologies according to the number of input compressed signals.

Applicants also note that claim 23 states:

23. A method for processing telecommunications signals in a CELP based domain, the method including determining DTMF tones and processing multiple input compressed signals using one or more CELP parameters of respective one or more CELP-based coders, without decoding to a speech signal, the method comprising:

inputting the one or more sets of CELP parameters and external commands;

determining one or more DTMF tones in a compressed signal from the one or more
CELP parameters;

processing multiple sets of CELP parameters into a single set of CELP parameters;

**PATENT** 

Marwan A. Jabri et al. Application No.: 10/693,253

parameters in the single set;

Page 5

outputting the determined one or more DTMF tones, if detected, and the processed CELP

wherein determining DTMF tones comprises:

deriving DTMF feature parameters from CELP parameters;

processing feature parameters with pre-defined look-up tables of DTMF signal feature data to output one or more results;

transferring the one or more results to the DTMF decision unit;

determining classification results of one or more previous subframes to output one or more DTMF signals according to DTMF signal definition standards;

storing the one or more results of the current subframe and updating results of one or more previous subframes; and outputting DTMF tones, if a DTMF signal is detected.

Applicants also note that claim 24 states:

24. A method for processing telecommunications signals in a CELP based domain, the method including determining DTMF tones and processing multiple input compressed signals using one or more CELP parameters of respective one or more CELP-based coders, without decoding to a speech signal, the method comprising:

inputting the one or more sets of CELP parameters and external commands;
determining one or more DTMF tones in a compressed signal from the one or more
CELP parameters;

processing multiple sets of CELP parameters into a single set of CELP parameters; outputting the determined one or more DTMF tones, if detected, and the processed CELP parameters in the single set;

wherein the determining of the one or more DTMF tones is performed for every subframe.

Applicants also note that claim 28 states:

PATENT

Marwan A. Jabri et al. Application No.: 10/693,253

Page 6

28. A method for processing telecommunications signals in a CELP based domain, the method including determining DTMF tones and processing multiple input compressed signals using one or more CELP parameters of respective one or more CELP-based coders, without decoding to a speech signal, the method comprising:

inputting the one or more sets of CELP parameters and external commands; determining one or more DTMF tones in a compressed signal from the one or more CELP parameters;

processing multiple sets of CELP parameters into a single set of CELP parameters; outputting the determined one or more DTMF tones, if detected, and the processed CELP parameters in the single set;

wherein the processing of multiple sets of CELP parameters can handle silence description frames and discontinuous transmission.

Applicants also note that claim 29 states:

29. A method for processing telecommunications signals in a CELP based domain, the method including determining DTMF tones and processing multiple input compressed signals using one or more CELP parameters of respective one or more CELP-based coders, without decoding to a speech signal, the method comprising:

inputting the one or more sets of CELP parameters and external commands;

determining one or more DTMF tones in a compressed signal from the one or more

CELP parameters;

processing multiple sets of CELP parameters into a single set of CELP parameters; outputting the determined one or more DTMF tones, if detected, and the processed CELP parameters in the single set;

wherein the processing of multiple sets of CELP parameters comprises:

performing signal feature computation on each set of input CELP parameters;

arranging the order of importance of each set of input CELP parameters according to the results of the signal feature computation;

Marwan A. Jabri et al. Application No.: 10/693,253

Page 7

PATENT

determining the mixing strategy according to the order of importance and external commands;

mixing the input sets of CELP parameters according to the chosen mixing strategy;

outputting the mixed CELP parameters.

None of the prior art references teach or suggest an apparatus for feature processing of telecommunications signals or a method for processing telecommunications signals in a CELP based domain as recited in any of these claims.

Respectfully submitted,

Damifulas

Daniel Mao Reg. No. 51,995

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, Eighth Floor San Francisco, California 94111-3834 Tel: (415) 576-0200

Fax: (415) 576-0300

DM:ejt

60873729 v1